Articles		Probable quantity
HOSPITAL NECESSERIES—*contd.*		
Soap toilet cakes	No.	100
Soap, carbolic	"	80
Straw skins (4 lbs. in weight each) ...	"	600
Tin pots	"	100
Wax	lbs.	20
Mallays	No.	60

Articles		Probable quantity
HOSPITAL NECESSARIES—*concld.*		
Mumtheys	No.	60
Monkey brand soap bars	"	50
Wick	Yds.	100
Sunlight soap bars	No.	50
Soap-nuts	lbs.	100
Card thread	No.	50

V. MUTHUSAMI DOSS,
District Medical and Sanitary Officer.

PUBLIC WORKS WORKSHOP AND STORES, BANGALORE.

The attention of the public is invited to the notification published on page 782 of Part IV of *Mysore Gazette* dated 26th October 1916, calling for tenders up to 15th November 1916, for supply of cement to the Mysore Public Works Department, for the calandar year 1917.

B. C. KETKAR,
Superintendent.

MYSORE DIVISION.

Notice dated 24th October 1916.

FOR SALE.

It is hereby notified for the information of the public that under the orders of the Government, a DENSMORE Typewriter will be sold by public auction at the Office of the District and Sessions Judge, Mysore, on Tuesday the 28th November 1916, at 11 A.M.

2. The purchase money should be fully paid up on the spot.

3. The machine will be available for inspection on all office days, between 11 A.M. and 5 P.M.

M. HUMZA HUSSAIN,
District and Sessions Judge.

No. V. DIVISION, YEDATORE.

Notice is hereby given that sealed tenders will be received by the undersigned up to 5 P.M. on Monday, the 13th November 1916, for the supply of the undermentioned articles, for the use of the Chamaraja Channel Works, from the 15th December 1916 to the end of June 1917.

2. An approximate estimate of quantities required is given against each item in the list.

3. Tenders should be submitted on printed forms which may be obtained from the undersigned's office, and accompanied by a list in the form given below, showing the rates at which the different items specified in the list will be supplied.

4. The tender must be accompanied by a deposit of Rs. 100 superscribed "Tender for the supply of explosives for Excavation of Chamaraja Right Bank Channel," in default of which, the tenders will be rejected. The earnest money of the unsuccessful tenderers will be refunded.

5. The final acceptance of any tenders will rest with the Superintending Engineer, Cauvery Reservoir Works, who does not bind himself to accept the lowest or any tenders or assign any reason whatever, for the rejection of any tender.

6. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board of the undersigned's office, and also intimated to him in the usual course. No enquiries regarding the acceptance or rejection of the tender will receive attention.

7. The rate of tender for each item shall include cost of delivery free on rails at Paschimavahini Railway Station, Madras and Southern Mahratta Railway Company.

8. Orders will be placed with the successful tenderer for the supply of explosives in two instalments, and the order in full must be completed within two weeks from date on which such an order is placed, failing which, the unexecuted portion of the order will be cancelled and order placed elsewhere, and the earnest money deposited by the successful competitor forfeited as a penalty for the non-execution of the order in full.

9. In quoting rates the name of the manufacturer and the specifications should be given.

List of approximate quantities of explosives required from 15th December 1916 to end of June 1917.

No.	Particulars	Unit	Quantity	Rate	Remarks
1	Dynamite 7/8"	lbs.	1,250		
2	Treble Detonators	No.	20,000		
3	White double tape fuze coils	,,	500		
4	Common black fuze	,,	1,000		
5	Gelignite	lbs.	500		

B. N. ARADHYA,
Executive Engineer.

MYSORE STATE RAILWAYS.

TARIKERE-NARASIMHARAJAPURA TRAMWAY.

Notice dated 18th October 1916.

The public are hereby informed that the Tarikere-Narasimharajapura Tramway will be closed for all kinds of traffic from the 1st November 1916, until further advice.

K. RAGHAVACHAR,
For *Traffic Manager.*

MYSORE STATE RAILWAYS.

OFFICE OF THE CHIEF STOREKEEPER.

Notice dated 10th October 1916.

1. Tenders are invited for the supply of W. I. Stewart Lyod's and Bends as per statement. The pipes should be of uniform bore and thickness throughout free from all Flaws and defects and tested to a pressure of 200 lbs. per square inch.

2. Quantities noted against each item in the statement are only approximate and are not guaranteed. They may be increased or decreased according to requirements.

3. The supply should be made within one week after receipt of order.

4. Sealed tenders clearly superscribed "Tenders for W. I. Pipes and Bends" should be delivered at the office of the undersigned, 18, Cubbon Road, Bangalore, not later than 12 noon on Monday, the 20th November 1916, accompanied by a deposit of Rs. 50 as earnest money which will be refunded in the case of unaccepted tenders. The earnest deposit money of the accepted tenders will be returned after the supply is made to the satisfaction of the undersigned.

5. The undersigned reserves to himself the right to accept or reject any or all the tenders, or accept in whole or in part any tender without assigning reasons therefor.

STATEMENT.

Particulars	Quantity		Rate				Remarks
	Unit	Measure	Rs.	a.	p.	Per	
Pipes 1½" with couplings	R. ft.	1,420					
,, 1" ,, ...	,,	1,155					
,, ¾" ,, ...	,,	135					
Bends 1½"	No.	3					
,, ¾"	,,	8					
Valves 1"	,,	2					
Tee 1½"	,,	1					
Tee Reducing 3" to 1½"	,,	8					
,, 1½" to ¾"	,,	1					
,, 3" to 1"	,,	6					
,, 1" to ¾"	,,	4					
Socket Reducing 1½" to 1"	,,	4					
,, 1" to ¾"	,,	5					
Bend ,, 1" to ½"	,,	1					
Elbo 1"	,,	10					
Rib Cock ¾"	,,	14					
Hydrant	,,	5					
Bend 1"	,,	8					

T. LAKSHMINARASIMHA RAO,
Chief Storekeeper.